HYGENIO

Page 1/7

Printing date 27.11.2018

according to 1907/2006/EC, Article 31

Version number 2

Revision: 27.11.2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1 Product Identifier: Trade name: INK & PAINT REMOVER 1.2 Relevant identified uses of the substance or mixture and uses advised against: Product category: PC35 Washing and cleaning products (including solvent based products) Application of the substance / the mixture: Professional and consumer use. 1.3 Details of the supplier of the safety data sheet: Manufacturer / Importer / Supplier: Hygeniq Postbus 618 7500 AP Enschede The Netherlands Tel.: +31 53 4282860 Fax: +31 53 5393865 Email: info@hygeniq.com www.hygeniq.com Further information obtainable from: Product safety department. 1.4 Emergency telephone number: Only for DOCTORS / FIRE BRIGADE / POLICE: NL-Phone: +31 53 4282860 (During office hours)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture: Classification according to Regulation (EC) No 1272/2008: The substance is not classified, according to the CLP regulation.

2.2 Label elements: Labelling according to Regulation (EC) No 1272/2008: Void Hazard pictograms: Void Signal word: Void Hazard statements: Void 2.3 Other hazards: Results of PBT and vPvB assessment: PBT: Not applicable. vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Chemical characterisation: Mixtures:

Description: Mixture of substances listed below, possibly with non-hazardous additions.

Components:			
CAS: 67-63-0 EINECS: 200-661-7 Index number: 603-117-00-0 Reg.nr.: 01-2119457558-25	propan-2-ol	Imited Strain (1997) (2.5-10%
Ingredients according to de	etergents regulation	e (EC nr. 648/2004):	
non-ionic surfactants			<5%

Additional information: For the wording of the listed hazard phrases See section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures:

General information:

No special measures required.

Take affected persons out of danger area and lay down.

After inhalation: Supply fresh air; consult doctor in case of complaints.

After skin contact:

Take off contaminated clothing immediately and wash the skin with plenty of water (possibly showering).

according to 1907/2006/EC, Article 31

Printing date 27.11.2018

Version number 2

Revision: 27.11.2018

Trade name: INK & PAINT REMOVER

If skin irritation continues, consult a doctor.

After eye contact:

Rinse opened eye for several minutes (at least 15 minutes) under running water. If symptoms persist, consult a doctor. After ingestion:

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

4.2 Most important symptoms and effects, both acute and delayed: No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed: No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media:

Suitable extinguishing agents:

Use fire extinguishing methods suitable to surrounding conditions.

All extinguishing media are possible.

5.2 Special hazards arising from the substance or mixture: Carbon monoxide can arise from incomplete combustion.

5.3 Advice for firefighters:

Protective equipment: Wear self-contained respiratory protective device.

Additional information: Cool endangered tanks with water spray.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures: Not required.

6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

6.4 Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling: No special measures required. Information about fire and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities: No special measures required. Storage:

Requirements to be met by storerooms and tanks: No special requirements.

Information about storage in one common storage facility: Store away from oxidising agents. Further information about storage conditions:

Protect from frost

Store receptacle in fume cupboard. 7.3 Specific end use(s): No further relevant information available.

SECTION 8: Exposure controls/personal protection

Additional information about design of technical facilities: No further data; see section 7.

8.1 Control parameters:

Ingredients with limit values that require monitoring at the workplace:

67-63-0 propan-2-ol WEL (Great Britain) Short-term value: 1250 mg/m³, 500 ppm Long-term value: 999 mg/m³, 400 ppm

(Contd. on page 3)



Page 2/7

(Contd. of page 1)

GB



Page 3/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 27.11.2018

Version number 2

Revision: 27.11.2018

Trade name: INK & PAINT REMOVER

DNELs 67-63-0 pro			
	anan 2 al		
Oral		systemic effects	26 mg/kg bw/day (Consumer)
			319 mg/kg bw/day (Consumer)
Dermai	Long-term -	systemic enects	888 mg/kg bw/day (Worker)
Inhalative	l ong_term	systemic effects	89 mg/m3 (Consumer)
malative	Long-term -	systemic chects	500 mg/m3 (Worker)
PNECs			
67-63-0 pro	opan-2-ol		
Fresh wate	er	140.9 mg/l	
Marine wat	ter	140.9 mg/l	
Intermittent	t releases	140.9 mg/l	
STP		2,251 mg/l	
Fresh wate	er sediment	•	
Marine sed		552 mg/kg	
Soil		28 mg/kg	
	linformatio		during the making ware used as basis
	ure control		during the making were used as basis.
	protective e		
		nd hygienic meas	sures:
			o be adhered to when handling chemicals.
			if room is well-ventilated.
-	of hands:		
Use protec	tive gloves	to DIN EN374-3	
Only use cl	hemical-pro	tective gloves with	h CE-labelling of category III.
	n unic or g	love material:	
The exact b Eye protect Body protect	break throug ction: Gogg ection: Prot	les recommended tective work clothi	found out by the manufacturer of the protective gloves and has to be observed. I during refilling
The exact the Eye protect Body protect Limitation	break throug ction: Gogg ection: Pro and super	of time has to be les recommended tective work clothi vision of exposu	found out by the manufacturer of the protective gloves and has to be observed. I during refilling ng re into the environment: Prevent spills from reaching surface waters or soil.
The exact b Eye protect Body protect Limitation	break throug ction: Gogg ection: Pro- and super N 9: Phys	gh time has to be les recommended tective work clothi vision of exposu sical and cher	found out by the manufacturer of the protective gloves and has to be observed. d during refilling ng re into the environment: Prevent spills from reaching surface waters or soil. mical properties
The exact b Eye protect Body protect Limitation SECTION 9.1 Information	break throug ction: Gogg ection: Pro and super and super	gh time has to be les recommended tective work clothi vision of exposu sical and cher	found out by the manufacturer of the protective gloves and has to be observed. I during refilling ng re into the environment: Prevent spills from reaching surface waters or soil.
The exact b Eye protect Body protect Limitation SECTION 9.1 Informa General In	break throug ction: Gogg ection: Pro and super N 9: Phys ation on ba iformation:	gh time has to be les recommended tective work clothi vision of exposu sical and cher	found out by the manufacturer of the protective gloves and has to be observed. d during refilling ng re into the environment: Prevent spills from reaching surface waters or soil. mical properties
The exact b Eye protect Body protect Limitation SECTION 9.1 Informa General In Appearance	break throug ction: Gogg ection: Pro and super N 9: Phys ation on ba iformation:	gh time has to be les recommended tective work clothi vision of exposu sical and cher	found out by the manufacturer of the protective gloves and has to be observed. d during refilling ng re into the environment: Prevent spills from reaching surface waters or soil. mical properties I chemical properties:
The exact to Eye protect Body protect Limitation SECTION 9.1 Informa General In Appearance Form:	break throug ction: Gogg ection: Pro and super N 9: Phys ation on ba iformation:	gh time has to be les recommended tective work clothi vision of exposu sical and cher	found out by the manufacturer of the protective gloves and has to be observed. d during refilling ng re into the environment: Prevent spills from reaching surface waters or soil. mical properties I chemical properties: Liquid.
The exact b Eye protect Body protect Limitation SECTION 9.1 Informa General In Appearance	break throug ction: Gogg ection: Pro and super N 9: Phys ation on ba iformation:	gh time has to be les recommended tective work clothi vision of exposu sical and cher	found out by the manufacturer of the protective gloves and has to be observed. d during refilling ng re into the environment: Prevent spills from reaching surface waters or soil. mical properties I chemical properties: Liquid. Light orange
The exact the Eye protect Body protect Events of the Eye protect Body	break throug ction: Gogg ection: Pro and super N 9: Phys ation on ba formation: ce:	gh time has to be les recommended tective work clothi vision of exposu sical and cher	found out by the manufacturer of the protective gloves and has to be observed. d during refilling ng re into the environment: Prevent spills from reaching surface waters or soil. mical properties I chemical properties: Liquid.
The exact to Eye protect Body protect Limitation SECTION 9.1 Informa General In Appearance Form: Colour: Odour:	break throug ction: Gogg ection: Proi and super N 9: Phys ation on ba formation: ce: eshold:	gh time has to be les recommended tective work clothi vision of exposu sical and cher	found out by the manufacturer of the protective gloves and has to be observed. d during refilling ng re into the environment: Prevent spills from reaching surface waters or soil. mical properties I chemical properties: Liquid. Light orange Characteristic
The exact the Eye protect Body protect Events of the Eye	break throug ction: Gogg ection: Proi and super N 9: Phys ation on ba formation: ce: eshold:	gh time has to be les recommended tective work clothi vision of exposu sical and cher	found out by the manufacturer of the protective gloves and has to be observed. d during refilling ng re into the environment: Prevent spills from reaching surface waters or soil. mical properties I chemical properties: Liquid. Light orange Characteristic Not determined.
The exact b Eye protect Body protect Limitation SECTION 9.1 Informa General In Appearance Form: Colour: Odour: Odour three pH-value a Change in Melting p	break throug ction: Gogg ection: Pro and super N 9: Phys ation on ba iformation: ce: eshold: at 20 °C: o condition point/freezi	yh time has to be les recommended tective work clothi vision of exposu sical and cher asic physical and	found out by the manufacturer of the protective gloves and has to be observed. d during refilling ng re into the environment: Prevent spills from reaching surface waters or soil. mical properties chemical properties: Liquid. Light orange Characteristic Not determined. ca. 7 Not determined.
The exact b Eye protect Body protect Limitation SECTION 9.1 Informa General In Appearance Form: Colour: Odour: Odour three pH-value a Change in Melting p	break throug ction: Gogg ection: Pro- and super N 9: Phys ation on ba formation: ce: eshold: at 20 °C: condition point/freezi piling point	h time has to be les recommended tective work clothi vision of exposu sical and cher asic physical and	found out by the manufacturer of the protective gloves and has to be observed. d during refilling ng re into the environment: Prevent spills from reaching surface waters or soil. mical properties chemical properties: Liquid. Light orange Characteristic Not determined. ca. 7 Not determined.
The exact the Eye protect Body protect Body protect Limitation SECTION 9.1 Information General In Appearance Form: Colour: Odour: Odour three pH-value a Change in Melting pInitial bo	break throug ction: Gogg ection: Pro- and super N 9: Phys ation on ba formation: ce: eshold: at 20 °C: condition point/freezi piling point	h time has to be les recommended tective work clothi vision of exposu sical and cher asic physical and hig point: and boiling rang	found out by the manufacturer of the protective gloves and has to be observed. d during refilling ng re into the environment: Prevent spills from reaching surface waters or soil. mical properties I chemical properties: Liquid. Light orange Characteristic Not determined. ca. 7 Not determined. ge: 100 °C
The exact b Eye protect Body protect Limitation SECTION 9.1 Informa General In Appearance Form: Colour: Odour: Odour three pH-value a Change in Melting p Initial bo Flash poin	break throug ction: Gogg ection: Proi and super N 9: Phys ation on ba iformation: ce: eshold: at 20 °C: at 20 °C: condition point/freezi biling point	h time has to be les recommended tective work clothi vision of exposu sical and cher asic physical and asic physical and and point: and boiling rang	found out by the manufacturer of the protective gloves and has to be observed. d during refilling ng re into the environment: Prevent spills from reaching surface waters or soil. mical properties I chemical properties: Liquid. Light orange Characteristic Not determined. ca. 7 Not determined. ge: 100 °C Not applicable.



Page 4/7

according to 1907/2006/EC, Article 31

Printing date 27.11.2018

Version number 2

Revision: 27.11.2018

Trade name: INK & PAINT REMOVER

	(Contd. of page
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not self-igniting.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure at 20 °C:	23 hPa
Density at 20 °C:	1.008 g/cm ³
Relative density:	Not determined.
Vapour density:	Not determined.
Evaporation rate:	Not determined.
Solubility in / Miscibility with:	
Water:	Fully miscible.
Refraction Index:	1.440
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Oxidizing properties:	Does not contain oxidizing properties.
9.2 Other information:	No further relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity: Stable under recommended conditions.

10.2 Chemical stability:

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions: No dangerous reactions known.

10.4 Conditions to avoid: No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects:

Acute toxicity: Based on available data, the classification criteria are not met.

LD/LC50	values rele	evant for classification:	
67-63-0 pi	opan-2-ol		
Oral	LD50	5,045 mg/kg (Rat)	
Dermal	LD50	12,800 mg/kg (Rabbit)	
Inhalative	LC50/4 h	30 mg/l (Rat)	
141-43-5 2	2-aminoet	hanol	
Oral	LD50	2,050 mg/kg (Rat)	
Dermal	LD50	1,000 mg/kg (rbt)	
Inhalative	LD50/2 h	11 mg/m3 (ATE)	
Primary in	ritant effe	ct:	
Skin corre	osion/irrita	ation: Based on available data, the classification criteria are not met.	
Serious e	ye damag	e/irritation: Based on available data, the classification criteria are not met.	
			(Contd. on page

according to 1907/2006/EC, Article 31

Printing date 27.11.2018

Version number 2

Revision: 27.11.2018

(Contd. of page 4)

Trade name: INK & PAINT REMOVER

Respiratory or skin sensitization: Based on available data, the classification criteria are not met.

CMR effects (carcinogenic, mutagenic and reprotoxic):

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reprotoxicity: Based on available data, the classification criteria are not met.

STOT-single exposure: Based on available data, the classification criteria are not met.

STOT-repeated exposure: Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1 Toxicity:

The product components are not classified as dangerous for the environment or the quantities are not relevant. Larger or frequent spills can be dangerous or harmful to the environment.

Aquatic toxicity: No further relevant information available.

12.2 Persistence and degradability: Easily biodegradable

12.3 Bioaccumulative potential: Bioaccumulation is not expected.

12.4 Mobility in soil: No further relevant information available.

Additional ecological information:

General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

12.5 Results of PBT and vPvB assessment:

PBT: Not applicable.

vPvB: Not applicable.

12.6 Other adverse effects: No further relevant information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods:

Recommendation:

After prior treatment product has to be disposed of in an incinerator for hazardous waste adhering to the regulations pertaining to the disposal of particularly hazardous waste.

Contaminated packaging:

Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning by a licensed recycling company.

Disposal must be made according to official regulations.

SECTION 14: Transport information		
14.1 UN-Number: ADR/RID/ADN, IMDG, IATA	Void	
14.2 UN proper shipping name: ADR/RID/ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es):		
ADR/RID/ADN, IMDG, IATA		
Class:	Void	
14.4 Packing group:		
ADR/RID/ADN, IMDG, IATA	Void	
14.5 Environmental hazards:		
Marine pollutant:	No	
		(Contd. on page 6)



Page 5/7

Printing date 27.11.2018



Page 6/7

according to 1907/2006/EC, Article 31

Version number 2

Revision: 27.11.2018

Trade name: INK & PAINT REMOVER

(C	ontd. of page 5)
Not applicable.	
Marpol and	
Not applicable.	
Void	
	Not applicable. Marpol and Not applicable.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Directive 2012/18/EU:

Named dangerous substances - ANNEX I: None of the ingredients are listed. National regulations: Not applicable

Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water. 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. This shall not constitute a guarantee for any properties of the product and shall not establish a legally valid contractual relationship.

Relevant phrases:

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

Training hints: Take care of good information, instruction and training for users.

Department issuing SDS: Environment protection department.

Abbreviations and acronyms:

ADN: Accord Européen relatif au Transport International des Marchandises Dangereuses par voie de Navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IMDG: International Maritime Code for Dangerous Goods

IMDG: International Maritime Code for Dangerous G IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (Division of the American Chemical Society)
- DNEL: Derived No-Effect Level (REACH)
- PNEC: Predicted No-Effect Concentration (REACH)
- LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- EC50: Effective Concentration, 50 percent
- IOELVS: Indicative Occupational Exposure Limit Values
- mPa.s: milliPascal per second
- Flam. Liq. 2: Flammable liquids Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

References:

This information is based on the current available data (suppliers of raw materials, chemistry maps, Annex VI) See also the internet site: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database **Revisions were made in sections marked with *.**

Disclaimer:

The information provided in this Material Safety Data Sheet has been prepared with the utmost care and corresponds to the most recent information available to the supplier on the date of publication mentioned in the header of every page. The contents of this Material Safety Data Sheet should not be considered as a guarantee for certain product properties or fitness for particular purposes. It is the obligation of the user to determine whether the product is suitable for the specific purpose, intended use and the method of application. This Safety Data Sheet only relates to the product described and does not apply to any not defined use or the use of the product in combination with other materials, substances or products. It is the responsibility of the user to use and handle the product with care and to comply with all applicable laws and regulations. The supplier accepts no liability for (Contd. on page 7)

_____ GB

according to 1907/2006/EC, Article 31

Printing date 27.11.2018

Trade name: INK & PAINT REMOVER

(Contd. of page 6) direct or indirect damages resulting from improper use of this Material Safety Data Sheet and / or the products described therein.

Version number 2



Page 7/7

GB

Revision: 27.11.2018