

Product Description

Scotch-Brite™ Clean and Shine Pad is a low-speed (175 - 600 RPM) scrubber pad for daily cleaning and virtually dustless polishing.

- Cleans and shines in the same step, using only a low-speed scrubber.
- Increases shine with repeated use and may result in the reduction or elimination of burnishing.
- Designed with contrasting colors to provide a visible wear indication.
- Usable on both sides with the same proprietary coating.



Applications

This product is used for routine cleaning or light scrubbing under an auto scrubber or other standard low-speed (175 - 600 RPM) floor cleaning equipment using water or detergent solution.

For use on most finish-coated or uncoated flooring, including vinyl, sheet vinyl, LVT, VCT, rubber, linoleum, ceramic tile, marble, terrazzo, granite, and concrete.

Features and Benefits

- Exceptional cleaning, mark removal, and shine improvement (gloss and/or distinctness of image) with water only.
- Designed for use on both sides for ease of use and extended life.
- Compatible with water, detergents, or cleaners normally used for floor maintenance.
- Color contrast between the pad interior and surface coating provides wear indication.

Standard Size

Circular discs are available in a variety of common sizes.

Packaging and Marking

Each carton shall be labelled to identify the contents by product name, size, quantity, and manufacturer. Each pad shall be printed with the black “Scotch-Brite™ Clean & Shine” logo.

Characteristics

The values displayed are the results of illustrative lab test measures and shall not be considered as a commitment from 3M.

Characteristics	Value
Fiber type	Polyester
Weight	1420 g/m ²
Outer diameter dimensions	Designated Size ± 1.6 mm
Thickness	Approximately 25 mm
Aggressiveness	Schiefer value = 0 g
Color	Dark yellow
Packaging Recycled Content	50 – 100% recycled content

Directions for use

1. Dust mop the entire floor prior to cleaning
2. Install the Clean and Shine pad on your cleaning equipment
3. If using a rotary auto scrubber, a center hub attachment is required
4. Fill the scrubber tank with water or a properly diluted cleaning solution
5. Clean the floor

Maintenance of the Pad

1. Remove the disc from the machine after each use.
2. Wash and rinse under tap water or keep pads soaked in detergent solution before re-use. Avoid dirty pads from drying before washing.
3. Rinse and hang up to dry.

Note: Washing 3M™ floor pads in the washing machine is possible at a maximum of 40°C; note that it may shrink about 20 mm after the first washing cycle.

Performance Advantages

Durability: about 40,000 sqm under auto scrubbing machines, when properly maintained.

Storage

Storage conditions: +4°C to +40°C, out of sunlight, original container in a clean and dry indoor area.

Health and Safety

When handling any chemical products, read the manufacturer's container labels and the Safety Data Sheets (SDS) for important health, safety, and environmental information.

[Follow the link to obtain SDS sheets for 3M products on 3M.com/SDS.](#)

[Follow the link to obtain information about substances of very high concern \(SVHC\).](#)

IMPORTANT!

- When using any equipment, always follow the manufacturer's instructions for safe operation.
- This floor pad is for professional or industrial use only.

DANGER

To reduce the risks associated with inhalation of or exposure to contaminants:
DO NOT use this product on any asbestos-containing material.

WARNING

To reduce the risks associated with inhalation of or exposure to contaminants:
Ensure this product is used in the recommended applications with the suggested equipment.

Do not allow this product to be used by untrained operators.

Always follow standard safety practices, including wearing appropriate protective apparel and eye protection, while using this product.

To reduce the risks associated with environmental contamination:
Dispose of waste and slurries generated from wet polishing in accordance with all applicable local and government regulations.

CAUTION

The product is intended for wet floor maintenance processes only. DO NOT use this product in any dry application.

Warranty Information

Limited Remedy

This bulletin provides technical information only.

3M recommended product end uses are listed in each 3M product bulletin. End uses not listed in the applicable 3M Product Bulletins are typically not eligible for 3M Warranties. For non-recommended and/or non-warranted end uses or applications, users must test and approve the end uses or applications, assume any associated risks, and acknowledge that 3M has no liability for such end uses or applications. Please contact your 3M representative with any questions about applications, end uses, and warranties.

Limitations of liability

All questions of warranty and liability relating to this product are governed by the terms and conditions of the sale, subject, where applicable, to the prevailing law.

3M and Scotch-Brite are trademarks of 3M. All other trademarks are the property of their respective owners.

3M United Kingdom PLC

Commercial Branding and Transportation
Cain Road
Bracknell, RG12 8HT
UK

© 3M 2025. All rights reserved.